


# DELO

by DOMEAU



- **SIMPLE** une fontaine connectée au réseau d'eau  
*Anytime delo glacé et cho*
- **SÛRE** équipée d'un kit de purification Domeau de haute qualité  
*Traitement spécialement adapté à l'eau de la cwa.*
- **SAV** service garanti - maintenance - intervention  
*267 0000*

# DELO

by DOMEAU



| Model DELO by Domeau                | COCO                         |
|-------------------------------------|------------------------------|
| Power Consumption - supply V/Hz     | 530W - 220V/60Hz             |
| Climate Class                       | Sub Tropical and tropical    |
| Total water Tank Capacity           | 4.7L (3.6L Cold, 1.1L Hot)   |
| Water leakage protection            | YES                          |
| Cold water output                   | >2L/min                      |
| Hot water output                    | >1.2L/min                    |
| KIT de purification domeau          | DE05CC                       |
| pH                                  | 6.5 – 8.5                    |
| Applicable water pressure           | 0,1 – 0.4Mpa                 |
| Feed water Temperature              | 5 – 45C & <350ppm            |
| Hot and cold tank material          | SUS304                       |
| Particular removable, smell, taste  | Remove                       |
| Chlorine reduction rate             | >99.9%                       |
| Cysts/Lead/ Bacterial reduction     | >99.9%                       |
| Cooling capacity, power (L/H, C, W) | >3L/H <10C 100W              |
| Heating capacity (L/H)              | >4L/H >85C                   |
| Heating power (W)                   | 420W                         |
| Product Size in mm , KG             | 390(D)*310(H)*1045(W) – 20KG |
| Appliance certificates              | CE, GS*, CB**                |

\* GS certificates , ensure that your products meet the quality and safety requirements set forth in the german product safety Act,


\*\*CB certificates : Electrical and electronic items are rigorously controlled to ensure that they meet worldwide standards of safety, reliability and compatibility with other equipment.

DELO

Cold water

Fresh water

**HOT** water



Quantity of water

Touch to serve  
Touch to STOP.